Application No.: 10/583,257

AMENDMENTS TO THE SPECIFICATION

Please replace the present title with the following amended title:

LINEAR MOTOR AND ATTRACTION FORCE CANCEL TYPE LINEAR MOTOR

Please replace the paragraph no. [0010] of U.S. Publication No. 2007/0247008 A1

with the following amended paragraph:

For solving the above-described problems, according to claim 1 of the present invention,

there is provided a linear motor including: a mover part including; an armature module having an

I shaped magnetic iron core and an armature winding of one kind wound on the periphery of the

I shaped magnetic iron core through an insulating material, a non-magnetic material holder on

which a plurality of armature modules are arranged in a stroke direction, and a base upper plate

and a base lower plate for attaching the non-magnetic material holder in upper and lower parts

respectively, and a stator part including; a plurality of field permanent magnets opposed to the I

shaped magnetic iron cores through magnetic spaces and field yokes for supporting the field

permanent magnets, wherein the non-magnetic material holder has at both end parts thereof

through holes corresponding to the forms and the arranging pitches of the I shaped magnetic iron

cores, and bolts are inserted into the through holes to fix the non-magnetic material holder to the

base upper plate and the base lower plate.

2

Application No.: 10/583,257

Please replace the paragraph no. [0011] of U.S. Publication No. 2007/0247008 A1

with the following amended paragraph:

According to claim 2 of the present invention Specifically, there is provided a linear

motor comprising: a mover part including; an armature module having an I shaped magnetic iron

core and an armature winding of one kind wound on the periphery of the I shaped magnetic iron

core through an insulating material, and a base upper plate and a base lower plate to which a

plurality of armature modules are respectively attached in upper and lower parts thereof, and a

stator part including; a plurality of field permanent magnets opposed to the I shaped magnetic

iron cores through magnetic spaces and field yokes for supporting the field permanent magnets,

wherein in both the end parts of the base upper plate and the base lower plate and the I shaped

magnetic iron cores, pin holes corresponding to the forms and the arranging pitches of the I

shaped magnetic iron cores are formed, and pins are inserted into the pin holes to fix the I shaped

magnetic iron cores between the base upper plate and the base lower plate.

Please replace the paragraph no. [0012] of U.S. Publication No. 2007/0247008 A1

with the following amended paragraph:

According to claim 3 of the present invention, there is provided the linear motor

according to claim 2 More specifically, wherein the pin hole is a hole penetrating the I shaped

magnetic iron core, and the pin is a long penetrating pin.

3

Application No.: 10/583,257

Please replace the paragraph no. [0013] of U.S. Publication No. 2007/0247008 A1 with the following amended paragraph:

According to claim 4 of the present invention, there is provided the linear motor according to claim 2 or 3, further including: More specifically, the present invention further includes sub-teeth for canceling a clogging due to an end effect generated in both ends of the armatures provided in front and rear ends in the stroke direction of a group of the armature modules, wherein pin holes are formed on both the end parts of the base upper plate and the base lower plate and the sub-teeth, and pins are inserted into the pin holes to fix the sub-teeth between the base upper plate and the base lower plate.

Please replace the paragraph no. [0014] of U.S. Publication No. 2007/0247008 A1 with the following amended paragraph:

According to claim 5 of the present invention, there is provided the linear motor according to claim 1 or 2, wherein More specifically, a gap part of the armature winding is filled with a mold resin.

Please replace the paragraph no. [0015] of U.S. Publication No. 2007/0247008 A1 with the following amended paragraph:

According to claim 6 of the present invention, there is provided an attraction force cancel type linear motor in the linear motor according to any one of claims 1 to 5, further including:

More specifically, the present invention further include a same stator part provided at a

Application No.: 10/583,257

symmetrical position to the stator part with respect to the mover part in an opposite side to the stator part by sandwiching the mover part in therebetween.

Please replace the paragraph no. [0016] of U.S. Publication No. 2007/0247008 A1 with the following amended paragraph:

According to claim 7 of the present invention, there is provided the attraction force eancel type linear motor according to claim 6, wherein More Specifically, a guide part of a linear guide is fixed to the lower side of the base lower plate.

Application No.: 10/583,257

Please delete the present Abstract of the Disclosure.

Please add the following new Abstract of the Disclosure:

A linear motor comprising a mover part including; an armature module having an I

shaped magnetic iron core and an armature winding of one kind wound on the periphery of the I

shaped magnetic iron core through an insulating material. A non-magnetic material holder on

which a plurality of armature modules are arranged in a stroke direction is provided. A base

upper plate and a base lower plate are provided for attaching the non-magnetic material holder in

upper and lower parts respectively. A stator part includes a plurality of field permanent magnets

opposed to the I shaped magnetic iron cores through magnetic spaces and field yokes for

supporting the field permanent magnets. The non-magnetic material holder has at both end parts

thereof through holes for inserting bolts corresponding to the forms and the arranging pitches of

the I shaped magnetic iron cores.

6